



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

**SENIOR CERTIFICATE/SENIOR SERTIFIKAAT
NATIONAL SENIOR CERTIFICATE/
NASIONALE SENIOR SERTIFIKAAT**

GRADE/GRAAD 12

**PHYSICAL SCIENCES: PHYSICS (P1)
FISIESE WETENSAPPE: FISIKA (V1)**

NOVEMBER 2020

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

**These marking guidelines consist of 19 pages./
Hierdie nasienriglyne bestaan uit 19 bladsye.**

QUESTION 1/VRAAG 1

- | | | |
|------|------|-------------|
| 1.1 | B ✓✓ | (2) |
| 1.2 | D ✓✓ | (2) |
| 1.3 | C ✓✓ | (2) |
| 1.4 | C ✓✓ | (2) |
| 1.5 | C ✓✓ | (2) |
| 1.6 | A ✓✓ | (2) |
| 1.7 | A ✓✓ | (2) |
| 1.8 | D ✓✓ | (2) |
| 1.9 | A ✓✓ | (2) |
| 1.10 | B ✓✓ | (2) |
| | | [20] |

QUESTION 2/VRAAG 2


2.1

Marking criteria/Nasienriglyne
 If any of the underlined key words/phrases in the correct context are omitted:
 - 1 mark per word/phrase.
Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:
 - 1 punt per woord/frase

The perpendicular force exerted by a surface on an object in contact with the surface. ✓✓
Die loodregte krag deur 'n oppervlak uitgeoefen op 'n voorwerp wat daarmee in kontak is.

(2)

2.2



	Accepted symbols/Aanvaarde simbole
N ✓	F_N /Normal/Normal force/173,5N /Normaal/Normaalkrag
f ✓	F_f / f_k /frictional force/wrywingskrag/kinetic frictional force/kinetiese wrywingskrag/5 N
w ✓	F_g /mg/Weight/ $F_{\text{Earth on block}}$ / F_w /Gewig/Gravitational force/Gravitasiekrag/196 N
T ✓	Tension/Spinning/ F_T
F_{applied} ✓ F_{toegepas}	F/Applied force/35 N/Toegepaste krag/ F_A

Notes/Aantekeninge

- Mark is awarded for label and arrow./Punt word toegeken vir byskrif en pyltjie.
- Do not penalise for length of arrows./Moenie vir die lengte van die pyltjies penaliseer nie.
- Deduct 1 mark for any additional force./Trek 1 punt af vir enige addisionele krag.
- If all forces are correctly drawn and labelled, but no arrows, deduct 1 mark. / Indien all kragte korrek geteken en benoem is, maar geen lyne nie, trek 1punt af.

(5)

2.3

<p>For the/Vir die 20 kg:</p> $\left. \begin{aligned} F_{\text{net}} &= ma \\ T - f - F_{Ax} &= ma \end{aligned} \right\} \checkmark$ $T - 5 - 35 \cos 40^\circ \checkmark = 0 \checkmark$ $T = 31,81 \text{ N}$ <p>For/vir m:</p> $\left. \begin{aligned} F_{\text{net}} &= ma \\ mg - T &= ma \\ m(9,8) - 31,81 \checkmark &= 0 \end{aligned} \right\}$ $m = 3,25 \text{ kg} \checkmark$	<p>Marking criteria/Nasienriglyne</p> <ul style="list-style-type: none"> Formula for 20 kg or m kg/Formule vir 20 kg of m kg / $F_{\text{net}} = ma$ ✓ Substitution of zero into either formula ✓ Vervanging van nul in een van die formules All substitutions into F_{net} for 20 kg as shown ✓ Alle vervanging in F_{net} for 20 kg soos getoon Substitution of value of T in eqn for m /Substitusie van waarde vir T in vgl vir m ✓ Final answer/finale antwoord: 3,25 kg ✓
--	---

(5)

2.4.1 Decreases/Neem af ✓

(1)

2.4.2 **POSITIVE MARKING FROM QUESTION 2.3**

POSITIEWE NASIEN VANAF VRAAG 2.3

Moving to the right/Beweeg na regs

Velocity decreases/*snellheid neem af* ✓

Accelerates/Net force to left /*Versnelling/netto krag na links* ✓✓

OR/OF

As the tension force decreases, the net force/acceleration acts in the opposite direction of motion /to the left. ✓✓

Soos die spanning afneem, is daar 'n netto krag/versnelling in die teenoorgestelde rigting / na links

Moving to the left/Beweeg na links

Velocity increases/*snellheid neem toe* ✓

Accelerates/Net force to left /*Versnelling/netto krag na links* ✓✓

(3)
[16]

QUESTION 3/VRAAG 3

3.1 (Motion of an object) under the influence of gravity (weight) only. ✓✓ (2 or 0)
(Beweging van 'n voorwerp) slegs onder die invloed van gravitasie (gewig).

OR/OF

(Motion in which) the only force acting on the object is gravity (weight).
(Beweging waar) die enigste krag wat op die voorwerp inwerk, gravitasie (gewig) is.

(2)

3.2.1 $\Delta t = 0,67 - 0,64 = 0,03 \text{ s}$ ✓✓

(2)

3.2.2	<p><u>OPTION 1/OPSIE 1</u> $\Delta t = \frac{(1,90 - 0,67)}{2}$ ✓ $= 0,62 \text{ s}$ ✓ (0,615 s)</p>	<p><u>OPTION 2/OPSIE 2</u> $\Delta x = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $(-1,85) = 0 + \frac{1}{2} (-9,8) \Delta t^2$ ✓ $\Delta t = 0,61 \text{ s}$ ✓ (0,6145 s)</p>
	<p><u>OPTION 3/OPSIE 3</u> $\Delta t = \frac{(1,90 + 0,67)}{2} = 1,285 \text{ s}$ $\Delta t = 1,285 - 0,67$ ✓ $= 0,62 \text{ s}$ ✓ (0,615 s)</p>	<p><u>OPTION 4/OPSIE 4</u> $v_f^2 = v_i^2 + 2a\Delta x$ $0 = v_i^2 + 2(-9,8)(1,85)$ $v_i = 6,02 \text{ m}\cdot\text{s}^{-1}$ $v_f = v_i + a\Delta t$ $0 = 6,02 + (-9,8)\Delta t$ ✓ $\Delta t = 0,61 \text{ s}$ ✓</p>

(2)

3.2.3

POSITIVE MARKING FROM QUESTION 3.2.2 POSITIEWE NASIEN VANAF VRAAG 3.2.2	
Marking Criteria/Nasienriglyne	
<ul style="list-style-type: none"> Any appropriate formula/<i>Enige geskikte formule</i> ✓ Correct substitution/<i>Korrekte vervanging</i> ✓ Final answer/<i>Finale antwoord</i>: 5,94 to 6,08 m·s⁻¹ ✓ 	
OPTION 1/OPSIE 1	OPTION 2/OPSIE 2
Upwards positive/ <i>Opwaarts positief</i> $v_f = v_i + a\Delta t$ ✓ $0 = v_i + (-9,8)(0,62)$ ✓ $v_i = 6,08 \text{ m}\cdot\text{s}^{-1}$ (6,076 m·s ⁻¹) ✓	Upwards positive/ <i>Opwaarts positief</i> $\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2$ ✓ $1,85 = v_i(0,62) + \frac{1}{2}(-9,8)(0,62)^2$ ✓ $v_i = 6,02 \text{ m}\cdot\text{s}^{-1}$ (6,022 m·s ⁻¹) ✓
Downwards positive/ <i>Afwaarts positief</i> $v_f = v_i + a\Delta t$ ✓ $0 = v_i + (9,8)(0,62)$ ✓ $v_i = -6,08$ $\therefore 6,08 \text{ m}\cdot\text{s}^{-1}$ (6,076 m·s ⁻¹) ✓	Downwards positive/ <i>Afwaarts positief</i> $\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2$ ✓ $1,85 = v_i(0,62) + \frac{1}{2}(9,8)(0,62)^2$ ✓ $v_i = -6,02$ $\therefore v_i = 6,02 \text{ m}\cdot\text{s}^{-1}$ (6,022 m·s ⁻¹) ✓
OPTION 3/OPSIE 3	OPTION 4/OPSIE 4
Motion from top to bottom / <i>Beweging vanaf bo na onder</i> Downwards positive/ <i>Afwaarts positief</i> $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $v_f^2 = 0 + 2(9,8)(1,85)$ ✓ $v_f = 6,02 \text{ m}\cdot\text{s}^{-1}$ ✓ initial velocity/ <i>beginsnelheid</i> =6,02 m·s ⁻¹	Upwards positive/ <i>Opwaarts positief</i> $\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2$ ✓ $0 = v_i(1,23) + \frac{1}{2}(-9,8)(1,23)^2$ ✓ $v_i = 6,03 \text{ m}\cdot\text{s}^{-1}$ ✓
Upwards positive/ <i>Opwaarts positief</i> $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $v_f^2 = 0 + 2(-9,8)(-1,85)$ ✓ $v_f = 6,02 \text{ m}\cdot\text{s}^{-1}$ ✓ initial velocity/ <i>beginsnelheid</i> =6,02 m·s ⁻¹	Downwards positive/ <i>Afwaarts positief</i> $\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2$ ✓ $0 = v_i(1,23) + \frac{1}{2}(9,8)(1,23)^2$ ✓ $v_i = -6,03 \text{ m}\cdot\text{s}^{-1}$ speed/ <i>spoed</i> = 6,03 m·s ⁻¹ ✓
Motion from bottom to top <i>Beweging vanaf onder na bo</i> Downwards positive/ <i>Afwaarts positief</i> $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $0^2 = v_i^2 + 2(9,8)(-1,85)$ ✓ $v_i = 6,02 \text{ m}\cdot\text{s}^{-1}$ ✓	OPTION 5/OPSIE 5
Upwards positive/ <i>Opwaarts positief</i> $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $0 = v_i^2 + 2(-9,8)(1,85)$ ✓ $v_i = 6,02 \text{ m}\cdot\text{s}^{-1}$ ✓	$\Delta y = \left(\frac{v_f + v_i}{2}\right)\Delta t$ ✓ $1,85 = \left(\frac{0 + v_i}{2}\right)(0,62)$ ✓ $v_i = 5,97 \text{ m}\cdot\text{s}^{-1}$ ✓
OPTION 7/OPSIE 7	OPTION 6/OPSIE 6
$(E_p + E_k)_{\text{floor/vloer}} = (E_p + E_k)_{\text{top/bo}}$ ✓ $(mgh + \frac{1}{2}mv^2)_{\text{floor/vloer}} = (mgh + \frac{1}{2}mv^2)_{\text{top/bo}}$ $0 + \frac{1}{2}v^2 = (9,8)(1,85) + 0$ ✓ $v = 6,02 \text{ m}\cdot\text{s}^{-1}$ ✓	$F_{\text{net}}\Delta t = m\Delta v$ $F_{\text{net}}\Delta t = m(v_f - v_i)$ } ✓ $m(9,8)(0,62) = m(0 - v_i)$ ✓ $v_i = 6,08 \text{ m}\cdot\text{s}^{-1}$ ✓

(3)

3.2.4

OPTION/OPSIE 1, 2, 3, 4: Marking criteria/Nasienriglyne	
Calculate initial velocity: Bereken aanvanklike snelheid: <ul style="list-style-type: none"> • Appropriate formula/Geskikte formule ✓ • Substitution/Vervanging ✓ 	Calculate/Bereken Δt: <ul style="list-style-type: none"> • Appropriate formula/Geskikte formule ✓ • Substitution/Vervanging ✓ • $1,97 \text{ s} + \Delta t$ ✓ • Fin answer/Fin antwoord: $2,95 - 2,97 \text{ s}$ ✓
Calculate initial velocity: Bereken beginsnelheid	Calculate time Δt Bereken tyd Δt
OPTION 1/OPSIE 1 Downwards positive/Afwaarts positief $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $0 = v_i^2 + 2(9,8)(-1,2)$ ✓ $v_i = -4,85 \text{ m}\cdot\text{s}^{-1}$ Upwards positive/Opwaarts positief $v_f^2 = v_i^2 + 2a\Delta y$ ✓ $0 = v_i^2 + 2(-9,8)(1,2)$ ✓ $v_i = 4,85 \text{ m}\cdot\text{s}^{-1}$	Upwards positive Opwaarts positief $\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$ ✓ $1,2 = (4,85)\Delta t + \frac{1}{2}(-9,8)\Delta t^2$ ✓ $\Delta t = 0,4898 \text{ s} / 0,5 \text{ s}$ $t = \underline{1,97} + 2(0,4898)$ ✓ $= 2,95 \text{ s} / 2,97 \text{ s}$ ✓ OR/OF $\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$ ✓ $0 = (4,85)\Delta t + \frac{1}{2}(-9,8)\Delta t^2$ ✓ $\Delta t = 0,9898 \text{ s} \text{ (or } \Delta t = 0)$ $t = \underline{1,97} + 0,9898$ ✓ = $2,96 \text{ s}$ ✓
OPTION 2/OPSIE 2 $(E_{\text{mech}})_{\text{top}} = (E_{\text{mech}})_{\text{bot/ond}}$ } ✓ Any one/ $(E_p + E_k)_{\text{top}} = (E_p + E_k)_{\text{Bot/Ond}}$ } Enige een $(mgh + \frac{1}{2}mv^2)_{\text{top}} = (mgh + \frac{1}{2}mv^2)_{\text{Bot/Ond}}$ $(9,8)(1,2) + 0 = 0 + (\frac{1}{2})v^2$ ✓ $v_i = 4,85 \text{ m}\cdot\text{s}^{-1}$ upwards /opwaarts	Downwards positive Afwaarts positief $\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$ ✓ $1,2 = (-4,85)\Delta t + \frac{1}{2}(9,8)\Delta t^2$ ✓ $\Delta t = 0,4898 \text{ s} / 0,5 \text{ s}$ $t = \underline{1,97} + 2(0,4898)$ ✓ $= 2,95 \text{ s} / 2,97 \text{ s}$ ✓ OR/OF $\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$ ✓ $0 = (4,85)\Delta t + \frac{1}{2}(9,8)\Delta t^2$ ✓ $\Delta t = 0,9898 \text{ s} \text{ (or } \Delta t = 0)$ $t = \underline{1,97} + 0,9898$ ✓ = $2,96 \text{ s}$ ✓
OPTION 3/OPSIE 3 $W_{\text{nc}} = \Delta E_p + \Delta E_k$ $0 = (0 - mgh) + \frac{1}{2}m(v_f^2 - v_i^2)$ } ✓ Any one/ $0 = -(9,8)(1,2) + \frac{1}{2}v_i^2$ } Enige een $v_i = 4,85 \text{ m}\cdot\text{s}^{-1}$ upwards /opwaarts	$\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$ ✓ $0 = (4,85)\Delta t + \frac{1}{2}(9,8)\Delta t^2$ ✓ $\Delta t = 0,9898 \text{ s} \text{ (or } \Delta t = 0)$ $t = \underline{1,97} + 0,9898$ ✓ = $2,96 \text{ s}$ ✓ OR/OF $v_f = v_i + a\Delta t$ ✓ $-4,85 = 4,85 + (-9,8)\Delta t$ ✓ $\Delta t = 0,9898 \text{ s}$ $\Delta t = \underline{1,97} + 0,9898$ ✓ = $2,96 \text{ s}$ ✓ OR/OF Upwards positive Opwaarts positief $v_f = v_i + a\Delta t$ ✓ $0 = 4,85 + (-9,8)\Delta t$ ✓ $\Delta t = 0,4949 \text{ s}$ $\Delta t = \underline{1,97} + (2)(0,4949)$ ✓ $= 2,96 \text{ s}$ ✓
OPTION 4/OPSIE 4 $W_{\text{net}} = \Delta E_k$ $w\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ } ✓ Any one/ $(9,8)(1,2)\cos 180^\circ = \frac{1}{2}v_i^2$ } Enige een $v_i = -4,85 \text{ m}\cdot\text{s}^{-1}$	$v_f = v_i + a\Delta t$ ✓ $-4,85 = 4,85 + (-9,8)\Delta t$ ✓ $\Delta t = 0,9898 \text{ s}$ $\Delta t = \underline{1,97} + 0,9898$ ✓ = $2,96 \text{ s}$ ✓ OR/OF Upwards positive Opwaarts positief $v_f = v_i + a\Delta t$ ✓ $0 = 4,85 + (-9,8)\Delta t$ ✓ $\Delta t = 0,4949 \text{ s}$ $\Delta t = \underline{1,97} + (2)(0,4949)$ ✓ $= 2,96 \text{ s}$ ✓ OR/OF $\Delta y = \left(\frac{v_i + v_f}{2}\right)\Delta t$ ✓ $1,2 = \left(\frac{0 + 4,85}{2}\right)\Delta t$ ✓ $\Delta t = 0,4948 \text{ s}$ $\Delta t_{\text{total}} = 2(0,4948) = 0,99 \text{ s}$ $\Delta t = \underline{1,97} + 0,99$ ✓ = $2,96 \text{ s}$ ✓

<p>OPTION 5/OPSIE 5 Downwards positive/Afwaarts positief $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$ $1,2 \checkmark = 0 + \frac{1}{2}(9,8) \Delta t^2 \checkmark$ $\Delta t = 0,49 \text{ s}$ $t = 1,97 + \checkmark 2(0,49) \checkmark$ $= 2,96 \text{ s} \checkmark$ Upwards positive/Opwaarts positief $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$ $-1,2 \checkmark = 0 + \frac{1}{2}(-9,8) \Delta t^2 \checkmark$ $\Delta t = 0,49 \text{ s}$ $t = 1,97 + \checkmark 2(0,49) \checkmark$ $= 2,96 \text{ s} \checkmark$</p>	<p>OPTION 5: Marking criteria/ OPSIE 5: Nasienriglyne</p> <ul style="list-style-type: none"> • Formula \checkmark/Formule • Substitution/Vervanging $\Delta y = 1,2 \checkmark$ • Substitution/Vervanging $0 + \frac{1}{2}(9,8) \Delta t^2$ • $1,97 \text{ s} + \checkmark$ • $2 \Delta t \checkmark$ • Final answer/Finale antwoord: 2,95 - 2,97 s \checkmark
--	---

(6)
[15]**QUESTION 4/VRAAG 4**

- 4.1 (Linear) momentum (of an object) is the product of mass and velocity. $\checkmark \checkmark$
(Liniêre) momentum (van 'n voorwerp) is die produk van massa en snelheid.
(2 or/of 0)

(2)

4.2.1

<p>OPTION 1/OPSIE 1 East as positive/Oos as positief $\sum p_i = \sum p_f$ $m_p v_{pi} + m_Q v_{Qi} = m_p v_{pf} + m_Q v_{Qf}$ } \checkmark Any one/Enige een $(0,16)(10) + (0,2)(-15) \checkmark = (0,16)(-5) + (0,2)v_{Qf} \checkmark$ $v_{Qf} = -3 \text{ m} \cdot \text{s}^{-1}$ $v_{Qf} = 3 \text{ m} \cdot \text{s}^{-1} \checkmark$ west/wes \checkmark</p>
<p>OPTION 2/OPSIE 2 West as positive/Wes as positief $\sum p_i = \sum p_f$ $m_p v_{pi} + m_Q v_{Qi} = m_p v_{pf} + m_Q v_{Qf}$ } \checkmark Any one/Enige een $(0,16)(-10) + (0,2)(15) \checkmark = (0,16)(5) + (0,2)v_{Qf} \checkmark$ $v_{Qf} = 3 \text{ m} \cdot \text{s}^{-1} \checkmark$ west/wes \checkmark</p>
<p>OPTION 3/OPSIE 3 $\Delta p_p = -\Delta p_Q \checkmark$ $(0,16)(-5 - 10) \checkmark = -(0,2)(v - (-15)) \checkmark$ $v = -3 \text{ m} \cdot \text{s}^{-1}$ $= 3 \text{ m} \cdot \text{s}^{-1} \checkmark$ west/wes \checkmark</p>

(5)

4.2.2

<p>For ball/ Vir bal P: West as negative/Wes as negatief Impulse = Δp $F_{\text{net}}\Delta t = \Delta p$ $\Delta p = m(v_{\text{Pf}} - v_{\text{Pi}})$ $= 0,16(-5 - 10) \checkmark$ $= -2,4$ $\therefore 2,4 \text{ N}\cdot\text{s} \checkmark \quad (2,4 \text{ kg}\cdot\text{m}\cdot\text{s}^{-1})$</p> <p>OR/OF West as positive /Wes as positief Impulse = Δp $F_{\text{net}}\Delta t = \Delta p$ $= m(v_{\text{Pf}} - v_{\text{Pi}})$ $= 0,16(5 - (-10)) \checkmark$ $= 2,4 \text{ N}\cdot\text{s} \checkmark$</p>	<p>POSITIVE MARKING FROM QUESTION 4.2.1 / POSITIEWE NASIEN VANAF VRAAG 4.2.1</p> <p>For ball/ Vir bal Q: West as negative/Wes as negatief Impulse = Δp $F_{\text{net}}\Delta t = \Delta p$ $= m(v_{\text{Qf}} - v_{\text{Qi}})$ $= 0,2[-3 - (-15)] \checkmark$ $= 2,4 \text{ N}\cdot\text{s} \checkmark \quad (2,4 \text{ kg}\cdot\text{m}\cdot\text{s}^{-1})$</p> <p>OR/OF West as positive /Wes as positief Impulse = Δp $F_{\text{net}}\Delta t = \Delta p$ $= m(v_{\text{Qf}} - v_{\text{Qi}})$ $= 0,16(3 - (15)) \checkmark$ $= -2,4 \text{ N}\cdot\text{s}$ $\therefore 2,4 \text{ N}\cdot\text{s} \checkmark \quad (2,4 \text{ kg}\cdot\text{m}\cdot\text{s}^{-1})$</p>
--	---

(3)
[10]**QUESTION 5/VRAAG 5**

5.1

Marking criteria/Nasienriglyne

If any of the underlined key words/phrases in the correct context are omitted:
- 1 mark per word/phrase. However, **IF**: The word "work" is omitted 0 marks
Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:
- 1 punt per woord/frase. Maar, **INDIEN**: Die woord "arbeid" uitgelaat is, 0 punte

A force is non-conservative if the work it does on an object (which is moving between two points) depends on the path taken. $\checkmark\checkmark$
'n Krag is nie-konserwatief indien die arbeid wat dit verrig (op 'n voorwerp wat tussen twee punte beweeg) afhanklik is van die pad.

OR/OF

A force is non-conservative if the work it does on an object depends on the path taken. $\checkmark\checkmark$
'n Krag is nie-konserwatief indien die arbeid wat dit verrig afhanklik is van die pad.

OR/OF

A force is non-conservative if the work it does in moving an object around a closed path is non-zero. $\checkmark\checkmark$
'n Krag is nie-konserwatief indien die arbeid wat dit verrig om 'n voorwerp op 'n geslote pad te beweeg, nie-nul is nie.

(2)

5.2

$$\left. \begin{aligned} K &= \frac{1}{2} mv^2 / E_k = \frac{1}{2} mv^2 \\ \Delta K &= K_f - K_i \\ \Delta K &= \frac{1}{2} mv_f^2 - \frac{1}{2} mv_i^2 \\ &= \frac{1}{2} m(v_f^2 - v_i^2) \\ &= \frac{1}{2} (200)(2^2 - 4^2) \checkmark \\ \Delta K &= -1200 \text{ J} \checkmark \end{aligned} \right\} \checkmark \text{ Any one / Enige een}$$

(3)

5.3

POSITIVE MARKING FROM QUESTION 5.2. POSITIEWE NASIEN VANAF VRAAG 5.2.	
Marking criteria/Nasienriglyne	
<ul style="list-style-type: none"> • Appropriate formula/Geskikte formule ✓ • Substitution into appropriate formula together with/Vervanging in geskikte formule saam met $-3,40 \times 10^3$ ✓✓ • Final answer/Finale antwoord: 8,88 m ✓ 	
OPTION 1/OPSIE 1	
$W_{nc} = \Delta K + \Delta U$ $W_{nc} = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2 + mgh_f - mgh_i$ $= \frac{1}{2}m(v_f^2 - v_i^2) + mg(h_f - h_i)$ $-3,40 \times 10^3 \checkmark = \frac{-1\ 200 + 200(9,8)(h_f - 10)}{\checkmark}$ $h = 8,88\text{ m } \checkmark \quad (8,87765\text{ m})$	$\left. \begin{array}{l} \\ \\ \\ \end{array} \right\} \checkmark \text{ Any one/Enige een}$
OPTION 2/OPSIE 2	
$E_{(\text{mech/meg})A} + W_f = E_{(\text{mech})B}$ $(E_p + E_k)_A + W_f = (E_p + E_k)_B$ $(mgh + \frac{1}{2}mv^2)_A + W_f = (mgh + \frac{1}{2}mv^2)_B$ $\frac{200(9,8)(10) + \frac{1}{2}(200)(4^2) - 3,40 \times 10^3}{\checkmark} = \frac{200(9,8)(h) + \frac{1}{2}(200)(2)^2}{\checkmark}$ $h = 8,88\text{ m } \checkmark \quad (8,87755)$	$\left. \begin{array}{l} \\ \\ \\ \end{array} \right\} \checkmark \text{ Any one/Enige een}$

OPTION 3/OPSIE 3	
$W_{net} = \Delta K$ $W_f + W_w = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2$ $W_f - \Delta E_p = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2$ $W_f - mg(h_f - h_i) = \frac{1}{2}m(v_f^2 - v_i^2)$ $\frac{-3,40 \times 10^3 - 200(9,8)(h-10)}{\checkmark} = \frac{-1\ 200}{\checkmark}$ $h = 8,88\text{ m } \checkmark \quad (8,87755\text{ m})$	$\left. \begin{array}{l} \\ \\ \\ \end{array} \right\} \checkmark \text{ Any one/Enige een}$

(4)

5.4

OPTION 1 AND 2/OPSIE 1 EN 2: Marking criteria /Nasienriglyne	
<ul style="list-style-type: none"> • Appropriate formula/Geskikte formule ✓✓ • Work done by friction/Arbeid verrig deur wrywing ✓✓ • Substitution of/Vervanging van $(200)(9,8)(13,12)$ ✓ • Appropriate formula/Geskikte formule • Substitution into power formula/Vervanging in drywingformule • Final answer /Finale antwoord: 1 814,35 W 	
OPTION 1/OPSIE 1	
$W_{nc} = \Delta K + \Delta U$ $W_{engine} + W_f = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2 + mgh_f - mgh_i$ $= \frac{1}{2}m(v_f^2 - v_i^2) + mg(h_f - h_i)$ $W_{engine} + (50)(15)(2)\cos 180^\circ \checkmark\checkmark = 0 + \frac{200(9,8)}{\checkmark}(22 - 8,88)$ $W_{engine} = 27\ 215,20\text{ J}$ $P_{engine} = \frac{W_{engine}}{\Delta t}$ $= \frac{27\ 215,20}{15}$ $= 1\ 814,35\text{ W}$	$\left. \begin{array}{l} \\ \\ \\ \end{array} \right\} \checkmark\checkmark \text{ Any one/Enige een}$

OPTION 2/OPSIE 2

$$\left. \begin{aligned} W_{\text{net}} &= \Delta K \\ W_N + W_{\text{engine}} + W_w + W_f &= 0 \\ W_N + W_{\text{engine}} - \Delta E_p + W_f &= 0 \end{aligned} \right\} \checkmark\checkmark \text{ Any one/Enige een}$$

$$0 + W_{\text{engine}} - (200)(9,8)\checkmark(13,12) + (50)(2)(15)\cos 180^\circ \checkmark\checkmark = 0$$

$$W_{\text{engine}} = 27\,215,20 \text{ J}$$

OR/OF

$$W_{\text{net}} = \Delta K \checkmark\checkmark$$

$$W_N + W_{\text{engine}} + W_{w\parallel} + W_f = 0$$

$$W_N + W_{\text{engine}} + mgsin\theta\Delta x\cos 180^\circ + W_f = 0$$

$$0 + W_{\text{engine}} - (200)(9,8)\checkmark\left(\frac{13,12}{\Delta x}\right)\Delta x(-1) + (50)(2)(15)\cos 180^\circ \checkmark\checkmark = 0$$

$$W_{\text{engine}} = 27\,215,20 \text{ J}$$

$$P_{\text{engine}} = \frac{W_{\text{engine}}}{\Delta t}$$

$$= \frac{27\,215,20}{15}$$

$$= 1\,814,35 \text{ W}$$

OPTION/OPSIE 3: Marking criteria/Nasienriglyne Opsie 3

- Appropriate formula/Geskikte formule $\checkmark\checkmark$
- Substitution of/Vervanging van - 50 $\checkmark\checkmark$
- Substitution of/Vervanging van $(-200)(9,8)(0,4373)$ or/of $(-200)(9,8)(0,44)\checkmark$
- Appropriate formula/Geskikte formule
- Substitution into/Vervanging in $P_{\text{ave}} = Fv_{\text{ave}}$
- Final answer/Finale antwoord: 1 814,35 W - 1 824,8 W

OPTION 3/OPSIE 3

$$\left. \begin{aligned} F_{\text{net}} &= ma \\ F_{\text{engine}} + F_{\text{friction}} + F_{g\parallel} &= 0 \end{aligned} \right\} \checkmark\checkmark \text{ Any one/Enige een}$$

$$F_{\text{engine}} + (-50)\checkmark\checkmark + (-200)(9,8)\checkmark(0,4373) = 0$$

$$F_{\text{engine}} = 906,52 \text{ N } (906,52 - 912,4)$$

$$P_{\text{ave}} = Fv_{\text{ave}}$$

$$P_{\text{ave}} = (908,52)(2)$$

$$= 1\,813,04 \text{ W } (1\,824,8 \text{ W})$$

$$\sin\theta = \frac{h}{\Delta x}$$

$$= \frac{13,12}{2(15)}$$

$$= 0,4373$$

OR/OF

$$W = F_{\text{engine}}\Delta x\cos\theta$$

$$= (906,52)(30)\cos 0^\circ$$

$$= 27\,195,6 \text{ J } (27\,372 \text{ W})$$

$$P = \frac{W}{\Delta t} = \frac{27\,195,6}{15} = 1\,813,04 \text{ W } \checkmark (1\,824,8 \text{ W})$$

(5)
[14]

QUESTION 6/VRAAG 6

6.1

Marking criteria/Nasienriglyne

If any of the underlined key words/phrases in the correct context are omitted:
 - 1 mark per word/phrase.
 Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:
 - 1 punt per woord/frase

The change in frequency✓ (or pitch) (of the sound) detected by a listener because the source and the listener have different velocities relative to the medium of propagation. ✓

Die verandering in die frekwensie (of toonhoogte) (van die klank) waargeneem deur 'n luisteraar omdat die bron en die luisteraar verskillende snelhede relatief tot die voortplantingsmedium het.

OR/OF

An (apparent) change in (observed/detected) frequency (pitch), as a result of the relative motion between a source and an observer (listener).

'n (Skynbare) verandering in (waargenome) frekwensie (toonhoogte), as gevolg van die relatiewe beweging tussen die bron en 'n waarnemer/luisteraar.

(2)

6.2

Towards/Nader ✓

(1)

6.3

$f_L = \frac{v \pm v_L}{v \pm v_s} f_s \quad \checkmark \quad \text{OR/OF} \quad f_L = \frac{v}{v - v_s} f_s$	$\text{OR/OF} \quad f_L = \frac{v}{v + v_s} f_s$
$3148 \checkmark = \frac{340+0}{340-v_s} f_s \quad \checkmark$	$2073 \checkmark = \frac{340-0}{340+v_s} f_s \quad \checkmark$
$\frac{3148(340-v_s)}{340+0} = \frac{2073(340+v_s)}{340-0}$	
$v_s = 70 \text{ m}\cdot\text{s}^{-1} \checkmark \quad (69,95 - 70,16 \text{ m}\cdot\text{s}^{-1})$	

(6)

6.4

POSITIVE MARKING FROM QUESTION 6.3		
POSITIEWE NASIEN VANAF VRAAG 6.3		
OPTION 1/OPSIE 1	OPTION 2/OPSIE 2	OPTION 3/OPSIE 3
$\Delta t = \frac{\Delta x}{v}$ $\Delta t = \frac{350}{70} \checkmark$ $\Delta t = 5 \text{ s} \checkmark$	$\Delta x = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $350 = 70 \Delta t + 0 \checkmark$ $\Delta t = 5 \text{ s} \checkmark$	$\Delta x = \left(\frac{v_i + v_f}{2} \right) \Delta t$ $350 = \left(\frac{70+70}{2} \right) \Delta t \checkmark$ <hr style="width: 50%; margin: 0 auto;"/> $\Delta t = 5 \text{ s} \checkmark$

(2)

[11]

QUESTION 7/VRAAG 7

7.1

$$n = \frac{Q}{e} \checkmark$$
$$= \frac{(-)4 \times 10^{-6}}{(-)1,6 \times 10^{-19}} \checkmark$$
$$= 2,5 \times 10^{13} \checkmark \quad (3)$$

7.2 **Electrostatic force on B due to A:/Elektrostatiese krag op B a.g.v. A:**

$$F_{AB} = \frac{kQ_1Q_2}{r^2} \checkmark$$
$$= \left[\frac{9 \times 10^9 (4 \times 10^{-6})(3 \times 10^{-6})}{0,2^2} \right] \checkmark$$
$$= 2,7 \text{ N} \checkmark \quad (3)$$

Ignore negative signs
Ignoreer negatiewe tekens

7.3 **Marking criteria/Nasienriglyne**

If any of the underlined key words/phrases in the correct context are omitted:
- 1 mark per word/phrase.
*Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:
- 1 punt per woord/frase*

Electric field is a region (in space) where (in which) an (electric) charge experiences a (electric) force. ✓✓
Elektriese veld is 'n gebied (in die ruimte) waarin 'n (elektriese) lading 'n (elektriese) krag ondervind. (2)

7.4

<p>Marking criteria/Nasienriglyne</p> <ul style="list-style-type: none">• Appropriate formula/Geskikte formule ✓• Correct substitution for A and B/Korrekte vervanging van A en B ✓✓• Subtraction of electric fields/Aftrek van elektrieseveld ✓• Final answer/Finale antwoord: $2,3 \times 10^6 \text{ N}\cdot\text{C}^{-1}$ ✓
<p>OPTION 1/OPSIE 1</p> <p>Electric field at M due to / Elektriese veld by M as gevolg van: $-4 \times 10^{-6} \text{ C}$</p> $E_{AM} = k \frac{Q}{r^2} \checkmark$ $= 9 \times 10^9 \frac{(4 \times 10^{-6})}{(0,3)^2} \checkmark$ $= 4,0 \times 10^5 \text{ N}\cdot\text{C}^{-1} \text{ (to left /links)}$ <p>Electric field at M due to / Elektriese veld by M as gevolg van: $+3 \times 10^{-6} \text{ C}$,</p> $E_{BM} = k \frac{Q}{r^2}$ $= 9 \times 10^9 \frac{(3 \times 10^{-6})}{(0,1)^2} \checkmark$ $= 2,7 \times 10^6 \text{ N}\cdot\text{C}^{-1} \text{ (to right /regs)}$ <p>Net electric field at M /Netto elektrieseveld by M</p> $E_{\text{net}} = E_{BM} + E_{AM}$ $= 4,0 \times 10^5 - 2,7 \times 10^6 \checkmark$ $= 2,3 \times 10^6 \text{ N}\cdot\text{C}^{-1} \checkmark \text{ (right/regs)}$ <p>OR/OF</p> <p>Net electric field at M /Netto elektrieseveld by M</p> $E_{\text{net}} = E_{BM} + E_{AM}$ $= -4,0 \times 10^5 + 2,7 \times 10^6 \checkmark$ $= -2,3 \times 10^6 \text{ N}\cdot\text{C}^{-1}$ $= 2,3 \times 10^6 \text{ N}\cdot\text{C}^{-1} \checkmark \text{ (right)}$
<p>OPTION 2/OPSIE 2</p> $F_{AM} = \frac{kQ_1Q_2}{r^2} = \frac{(9 \times 10^9)(4 \times 10^{-6})Q}{(0,3)^2} \checkmark = 4 \times 10^5 Q \text{ N}$ $F_{BM} = \frac{kQ_1Q_2}{r^2} = \frac{(9 \times 10^9)(3 \times 10^{-6})Q}{(0,1)^2} \checkmark = 2,7 \times 10^6 Q \text{ N}$ $F_{\text{net}} = 2,7 \times 10^6 Q + (-4 \times 10^5 Q) \checkmark = 2,3 \times 10^6 Q$ $E = \frac{F}{q} \checkmark = \frac{2,3 \times 10^6 Q}{Q} = 2,3 \times 10^6 \text{ N}\cdot\text{C}^{-1} \checkmark \text{ (right/regs)}$

(5)

7.5 Positive/Positief ✓

(1)

7.6

POSITIVE MARKING FROM 7.2/POSITIEWE NASIEN VANAF 7.2	
Marking criteria/Nasienriglyne	
<ul style="list-style-type: none"> • Correct substitution into Pythagoras's equation/Korrekte vervanging in Pythagoras se vergelyking ✓ • Correct substitution into Coulomb's Law/Korrekte vervanging in Coulomb se wet ✓ • Correct answer/Korrekte antwoord ✓ 	
$(F_{\text{net}})^2 = (F_{\text{AD}})^2 + (F_{\text{AB}})^2$ $(7,69)^2 = (F_{\text{AD}})^2 + (2,7)^2 \checkmark$ $F_{\text{AD}} = 7,2 \text{ N}$ $F_{\text{AD}} = \frac{kQ_1Q_2}{r^2}$ $7,2 = \frac{(9 \times 10^9)(4 \times 10^{-6})Q}{(0,15)^2} \checkmark$ $Q_D = 4,5 \times 10^{-6} \text{ C} \checkmark$ OR/OF $F_{\text{AD}} = k \frac{Q_1Q_2}{r^2}$ $= 9 \times 10^9 \frac{(4 \times 10^{-6})Q}{0,15^2} \checkmark$ $= 1,6 \times 10^6 Q$ $F_{\text{net}} = \sqrt{F_{\text{AB}}^2 + F_{\text{AD}}^2} \quad \text{OR/OF} \quad F_{\text{net}}^2 = F_{\text{AB}}^2 + F_{\text{AD}}^2$ $7,69 = \sqrt{2,7^2 + (1,6 \times 10^6 Q)^2} \checkmark$ $Q = 4,50 \times 10^{-6} \text{ C} \checkmark$	

(3)
[17]

QUESTION 8/VRAAG 8

8.1

Marking criteria/Nasienriglyne
 If any of the underlined key words/phrases in the correct context are omitted:
 - 1 mark per word/phrase.
Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:
 - 1 punt per woord/frase

(Maximum) energy provided (work done) by a battery per coulomb/unit charge passing through it. ✓✓

(Maksimum) energie verskaf (arbeid verrig) deur 'n battery per coulomb/eenheidslading wat daardeur beweeg.

Work done by the battery to move a unit coulomb of charge across the circuit./Arbeid verrig deur die battery om 'n eenheidslading oor die stroombaan te beweeg. (2)

8.2

Energy (per coulomb of charge) is converted to heat in the battery due to the internal resistance. ✓✓

Energie (per coulomb lading) word na hitte omskep binne-in die battery a.g.v. interne weerstand. (2)

8.3.1

$$I = \frac{V}{R} \checkmark$$

$$I = \frac{1,5}{0,5} \checkmark$$

$$= 3 \text{ A} \checkmark$$

(3)

8.3.2

OPTION 1/OPSIE 1	OPTION 2/OPSIE 2
$\frac{1}{R_p} = \frac{1}{R_1} + \frac{1}{R_2} \checkmark$	$R_p = \frac{R_1 R_2}{R_1 + R_2} \checkmark$
$\frac{1}{R_p} = \frac{1}{25} + \frac{1}{15} \checkmark$	$R_p = \frac{(25)(15)}{25+15} \checkmark$
$R_p = 9,375 \Omega$	$R_p = 9,375 \Omega$
$R_{\text{ext}} = 9,375 + 4 \checkmark = 13,38 \Omega \checkmark$ <div style="text-align: right; margin-right: 20px;">(13,375 Ω)</div>	$R_{\text{ext}} = 9,375 + 4 \checkmark = 13,38 \Omega \checkmark$ <div style="text-align: right; margin-right: 20px;">(13,375 Ω)</div>

(4)

8.3.3

POSITIVE MARKING FROM QUESTIONS 8.3.1 AND 8.3.2.
POSITIEWE NASIEN VANAF VRAAG 8.3.1 EN 8.3.2.

OPTION 1/OPSIE 1

$$\begin{aligned} \mathcal{E} &= I(R + r) \checkmark \\ &= 3(13,38 + 0,5) \checkmark \\ &= 41,64 \text{ V } \checkmark \quad (\text{Range/Gebied: } 41,625 - 41,64) \end{aligned}$$

OPTION 2/OPSIE 2

$$\begin{aligned} \mathcal{E} &= V_{\text{ext/eks}} + V_{\text{int}} \checkmark \\ &= (3)(13,38) + 1,5 \checkmark \\ &= 41,64 \text{ V } \checkmark \quad (\text{Range/Gebied: } 41,625 - 41,64) \end{aligned}$$

(3)

8.4 Yes. ✓/Ja

For the same voltage/potential difference, ✓

a larger current will flow through a smaller resistor ($I = \frac{V}{R}$) ✓

Vir dieselfde spanning/ potensiaalverskil

sal 'n groter stroom deur die kleiner weerstand vloei ($I = \frac{V}{R}$).

OR/OF

$$I \propto \frac{1}{R} \checkmark, V = \text{constant /konstant} \checkmark$$

I is inversely proportional to R and V is constant.

I is omgekeerd eweredig aan R en V is konstant.

OR/OF

$$\begin{aligned} V_{\parallel} &= IR \\ &= (3)(9,38) \\ &= 28,14 \text{ V} \end{aligned}$$

$$I_{R2} = \frac{V}{R} = \frac{28,14}{25} = 1,13 \text{ A } \checkmark$$

$$I_{R3} = \frac{V}{R} = \frac{28,14}{15} = 1,88 \text{ A } \checkmark$$

OR/OF

V is the same / V is dieselfde ✓

$$\left. \begin{aligned} I_{15\Omega} &= \frac{25}{40} I \\ I_{25\Omega} &= \frac{15}{40} I \end{aligned} \right\} \checkmark$$

(3)

8.5 Remains the same/Bly dieselfde ✓

(1)

[18]

QUESTION 9/VRAAG 9

9.1.1 (DC) motor/(GS-)motor ✓ (1)

9.1.2 **POSITIVE MARKING FROM QUESTION 9.1.1**

POSITIEWE NASIEN VANAF VRAAG 9.1.1

Electrical to mechanical /kinetic (energy) ✓✓ (2 or 0)

Elektriese na meganiese/kinetiese (energie) (2 of 0) (2)

9.1.3 Split ring/commutator/Splitring/kommutator ✓ (1)

9.1.4 Anticlockwise/antikloksgewys ✓✓ (2)

9.2.1 (The rms voltage/value of AC is) the AC voltage/potential difference which dissipates the same amount of energy/heat/power as an equivalent DC voltage/potential difference. ✓✓ (2 or 0)

(Die wgk-waarde van WS is) die WS-potensiaalverskil/spanning wat dieselfde hoeveelheid energie/hitte/drywing verbruik as 'n ekwivalente GS-spanning/potensiaalverskil. (2 of 0)

ACCEPT/AANVAAR

The rms voltage/value of AC is the DC potential difference which dissipates the same amount of energy/heat/power as AC.

Die wgk-waarde van WS is die GS-potensiaalverskil wat dieselfde hoeveelheid energie/hitte/drywing verbruik as die WS. (2)

9.2.2

<u>Marking criteria/Nasienriglyne</u>		
<ul style="list-style-type: none"> • Appropriate formula for P_{ave}/Gesikte formule vir P_{ave} ✓ • Substitution to calculate/Vervanging vir berekening van R ✓ • Final answer/Finale antwoord: 242Ω ✓ 		
<u>OPTION 1/OPSIE 1</u>	<u>OPTION 2/OPSIE 2</u>	<u>OPTION 3/OPSIE 3</u>
$P_{ave} = \frac{V_{rms}^2}{R} \checkmark$ $200 = \frac{220^2}{R} \checkmark$ $R = 242 \Omega \checkmark$	$P_{ave} = V_{rms} I_{rms} \checkmark$ $200 = I_{rms} (220)$ $I_{rms} = 0,909 \text{ A (0,91)}$ $R = \frac{V_{rms}}{I_{rms}} \text{ or/of } R = \frac{V}{I}$ $R = \frac{220}{0,909} \checkmark$ $R = 242 \Omega \checkmark (241,76 \Omega)$	$P_{ave} = V_{rms} I_{rms} \checkmark$ $200 = I_{rms} (220)$ $I_{rms} = 0,909 \text{ A (0,91)}$ $P_{ave} = I_{rms}^2 R$ $200 = (0,909)^2 R \checkmark$ $R = 242 \Omega \checkmark$ $(241,52 \Omega)$

(3)

9.2.3

Marking criteria for options 1,2 and 3 /Nasienglyne vir opsies 1,2 en 3

- Appropriate formula to calculate P or I_{rms} /Geskikte formule om P of I_{rms} te bereken ✓
- Substitution/Vervanging ✓
- Formula for P or W containing Δt /Formule vir P of W wat Δt bevat ✓
- Substitution/Vervanging ✓
- Final answer/Finale antwoord: 55 785,12 J ✓

POSITIVE MARKING FROM QUESTION 9.2.2.**POSITIEWE NASIEN VANAF VRAAG 9.2.2.****OPTION 1/OPSIE 1****Marking criteria / Nasienglyne**

- Appropriate formula for W containing V /Geskikte formule vir W wat V bevat ✓✓
- Substitution/Vervanging ✓✓
- Final answer/Finale antwoord: 55 785,12 J ✓

$$W = \frac{V^2 \Delta t}{R} \checkmark \checkmark$$

$$= \frac{(150^2)(10 \times 60)}{242} \checkmark$$

$$= 55\,785,12 \text{ J} \checkmark$$

OPTION 2/OPSIE 2

$$P_{ave} = \frac{V_{rms}^2}{R} \checkmark$$

$$= \frac{150^2}{242} \checkmark$$

$$P_{av} = 92,975 \text{ W}$$

$$P = \frac{W}{\Delta t} \checkmark$$

$$92,975 = \frac{W}{(10)(60)} \checkmark$$

$$W = 55\,785,12 \text{ J} \checkmark$$

$$(55\,785,12 - 55\,896 \text{ J})$$

OPTION 3/OPSIE 3

$$R = \frac{V_{rms}}{I_{rms}} \checkmark / R = \frac{V}{I}$$

$$242 = \frac{150}{I_{rms}} \checkmark$$

$$I_{rms} = 0,620 \text{ A}$$

$$P_{ave} = I_{rms} V_{rms}$$

$$= (0,62)(150) \checkmark$$

$$= 92,97 \text{ W} (93 \text{ W})$$

$$P = \frac{W}{\Delta t} \checkmark$$

$$92,975 = \frac{W}{(10)(60)} \checkmark$$

$$W = 55\,785,12 \text{ J} \checkmark$$

$$(55\,785,12 - 55\,896 \text{ J})$$

OPTION 4/OPSIE 4

$$R = \frac{V_{rms}}{I_{rms}} \checkmark / R = \frac{V}{I}$$

$$242 = \frac{150}{I_{rms}} \checkmark$$

$$I_{rms} = 0,620 \text{ A}$$

$$W = I^2 R \Delta t \checkmark$$

$$= (0,62)^2 (242)(10)(60) \checkmark$$

$$= 55\,814,88 \text{ J} \checkmark$$

$$(55\,785,12 - 55\,896 \text{ J})$$

OR/OF

$$W = VI \Delta t$$

$$= (150)(0,62)(600)$$

$$= 55\,800 \text{ J}$$

OPTION 5/OPSIE 5

$$P_{ave} = \frac{V_{rms}^2}{R} \checkmark = \frac{150^2}{242} \checkmark = 92,975 \text{ W}$$

$$P_{ave} = I_{rms}^2 R$$

$$92,975 = I_{rms}^2 (242)$$

$$I_{rms} = 0,6198 \text{ A}$$

$$W = I^2 R \Delta t \checkmark$$

$$= (0,6198)^2 (242)(10)(60) \checkmark$$

$$= 55\,778,88 \text{ J} \checkmark$$

(5)
[16]

QUESTION 10/VRAAG 10

10.1 Photoelectric effect/Fotoëlektriese effek ✓ (1)

10.2 Work function (of potassium)/Werksfunksie/Arbeidsfunksie (van kalium) ✓ (1)

10.3 Potassium/Kalium ✓
 It has the lowest work function / threshold frequency / highest threshold wavelength. ✓
Dit het die laagste arbeidsfunksie / drumpelfrekwensie / hoogste drumpel golflengte. (2)

10.4 **Marking criteria/Nasienriglyne**
 If any of the underlined key words/phrases in the correct context are omitted:
 - 1 mark per word/phrase.
Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word: - 1 punt per woord/frase

The work function of a metal is the minimum energy that an electron (in the metal) needs ✓ to be emitted/ejected from the metal / surface. ✓
Die werksfunksie/arbeidsfunksie van 'n metaal is die minimum energie benodig om 'n elektron vanaf 'n oppervlak / metaal vry te stel. (2)

10.5.1 $W_o = hf_o$ ✓
 $= (6,63 \times 10^{-34})(1,75 \times 10^{15})$ ✓
 $= 1,160 \times 10^{-18} \text{ J}$ ✓

OR/OF
 $E = W_o + E_{k(max)}$
 $hf = W_o + E_{k(max)}$ } ✓ Any one / Enigeen
 $(6,63 \times 10^{-34})(1,75 \times 10^{15}) = W_o + 0$ ✓
 $W_o = 1,160 \times 10^{-18} \text{ J}$ ✓ (3)

10.5.2 **POSITIVE MARKING FROM QUESTION 10.5.1.**
POSITIEWE NASIEN VANAF VRAAG 10.5.1.

$E = W_o + E_{k(max)}$
 $hf = hf_o + \frac{1}{2}mv_{max}^2$ } ✓ Any one/Enige een
 $(6,63 \times 10^{-34})f$ ✓ $= \frac{1,160 \times 10^{-18}}{2} + \frac{1}{2} (9,11 \times 10^{-31}) (5,60 \times 10^5)^2$ ✓
 $\therefore f = 1,97 \times 10^{15} \text{ Hz}$ ✓ (4)

[13]

TOTAL/TOTAAL: 150