

## NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

# ENGINEERING GRAPHICS AND DESIGN P2 NOVEMBER 2022

**MARKS: 100** 

TIME: 3 hours

This question paper consists of 6 pages.





### **INSTRUCTIONS AND INFORMATION**


- 1. This question paper consists of FOUR questions.
- 2. Answer ALL the questions.
- 3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
- 4. ALL drawings must be prepared using pencil and instruments, unless otherwise stated.
- 5. ALL answers must be drawn accurately and neatly.
- 6. ALL the questions must be answered on the QUESTION PAPER, as instructed.
- 7. ALL the pages, irrespective of whether the question was attempted or not, must be re-stapled in numerical sequence in the TOP LEFT-HAND CORNER ONLY.
- 8. Time management is essential in order to complete all the questions.
- 9. Print your examination number in the block provided on every page.
- 10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY															
QUESTION	MARK	(S OBT	AINED	1/2	$\frac{1}{2}$ SIGN MODERATED $\frac{1}{2}$ SIGN RE-MARKING		NG	1/2	SIGN						
1															
2															
3															
4															
TOTAL															
	2	0	0			2	0	0			2	0	0		

FINAL CONVERTED MARK	CHECKED BY
100	

COMPLETE THE FOLLOWING:
CENTRE NUMBER
CENTRE NUMBER
EXAMINATION NUMBER
EXAMINATION NUMBER

NSC Engineering Graphics and Design/P2 DBE/November 2022



### **QUESTION 1: ANALYTICAL (MECHANICAL)**


### Given:

Two views of a bracket in third-angle orthographic projection and a view of a shaft, a title block and a table of questions. The drawings are not presented to the indicated scale.


### Instructions:

Complete the table below by neatly answering the questions, which refer to the accompanying drawings, the title block and mechanical content.

	QUESTIONS		ANSWERS			
1	Who checked the drawing?			1		
2	How many revisions have been made?			1		
3	From what material must the shaft be manufactured?			1		
4	How many holes are there in the bracket?			1		
5	What type of sections are S-S and T-T of the shaft?			1		
6	How many screw threads must be cut on the shaft?			1		
7	If VIEW 2 of the bracket is the front view, what would VIEW 1 be called?			1		
8	What does the abbreviation AF stand for?			1		
9	What is the abbreviation for countersunk?			1		
10	Determine the complete dimensions at: A:	B:	C:	3		
11	What is the height of the spot face on the bracket?			1		
12	What is the depth of the keyway on the shaft?			1		
13	If scale 1: 1 was used, what would the dimension at D read?			1		
14	With reference to the orthographic system used, on which side of the truncated cone of the projection symbol would the two circles be drawn?			1		
15	Specify the size and depth for the left-hand thread.			1		
16	How many surfaces on the bracket must be machined?			1		
17	With reference to the tolerance, determine the <b>minimum</b> diameter of the hole at E.			2		
,		0,2		1		
10	With reference to the machining symbol in the title block,	0,8		1		
18	what do the following component specifications refer to?	GRINDING		1		
		С		1		
19	In the space below (ANSWER 19), complete, in neat freehand, the SANS 10111 conventional representation for the given holes on a LINEAR PITCH.					
20	In the space below (ANSWER 20), complete, in neat freehand, the SANS 10111 conventional representation for an INTERRUPTED VIEW on a square bar.					
			TOTAL	30		







	ASSESSMENT CRITERIA 2.1						
	1 GIVEN + LABELS + CL		6				
	2 CONSTRUCTION		5				
	3 LOCI OF D + E		14				
F	PENALTIES (-)						
		SUBTOTAL	25				

**ASSESSMENT CRITERIA 2.2** 

5

6

1

1 GRAPH CONSTRUCTION

2 POINTS + CURVE

3 LABELS

### **QUESTION 2: LOCI**

NOTE: Answer QUESTIONS 2.1 and 2.2.

### 2.1 MECHANISM

### Given:

- A schematic drawing of a mechanism consisting of crank OA, sliding rod DB, horizontal groove GH, swivel guide F and rod CE in the vertical position
- The position of centre point O on the drawing sheet

### Specifications:

- The positions of centre point O, swivel guide F and horizontal groove GH are fixed.
- Rod DB = 165.
- Sliding rod DB is pin-jointed to crank OA
- Rod CE passes through swivel guide F, and is pin-jointed to sliding rod DB at C.

### Motion:

As crank OA rotates, point B of sliding rod DB reciprocates along groove GH and rod CE slides through swivel guide F.

### Instructions:

- Draw, to scale 1:1, the given schematic drawing of the mechanism.
- Trace the loci generated by point D and by point E for ONE complete rotation of crank OA.
- Show ALL construction.

### 2.2: CAM

• The position of corner P on the drawing sheet

### Motion:

A cam imparts the following motion to a follower:

- It is at rest for the first 60°.
- It rises 80 mm with uniform acceleration and retardation over the next 150°.
- It returns to its original position with uniform motion over the rest of the rotation

### Instructions:

- From corner P, draw, to a rotational scale of 10 mm = 30° and a displacement scale of 1:1, the complete displacement graph for the required motion.
- Label the displacement graph and include the rotational scale.
- Show ALL construction.

ION NUMBER	

[12] PENALTIES (-) **SUBTOTAL 2.2** 12 **EXAMINAT** 25 **SUBTOTAL 2.1** TOTAL 37 **EXAMINATION NUMBER** 

[25]



### QUESTION 3: ISOMETRIC DRAWING

### Given:

- The front view, top view and left view of a tool
- The position of point A on the drawing sheet


### Instructions:


Using scale 1 : 1, convert the orthographic views of the tool into an isometric drawing.


- Use A as the starting and lowest point of the drawing.
- Show ALL construction.
- NO hidden detail is required.

[40]

DBE/November 2022








\
/

	ASSESSMENT CRI	TERL	A				
1	PLACING + AUX. VIEW	2					
2	BODY	20					
3	HANDLE	9 ½					
4	CIRCLES + CONSTR. + CL	8 <u>1</u>					
PE	NALTIES (-)						
	TOTAL	40					
	EXAMINATION NUME	BER					
	EXAMINATION NUMBER 4						



### **QUESTION 4: MECHANICAL ASSEMBLY**

### Give

- The exploded isometric drawing of the parts of a wobble engine assembly, showing the position of each part relative to all the others
- Orthographic views of each of the parts of the wobble engine assembly

### Instructions:

- Answer this question on page 6.
- Draw, to scale 1: 1 and in third-angle orthographic projection, the following views of the assembled parts of the wobble engine assembly:
  - **4.1** ONLY the **left half** of the **front view**, by applying the convention of symmetry
  - **4.2** A sectional left view on cutting plane A-A, as seen from the direction of the arrow on the exploded isometric drawing. The cutting plane is shown on the front view of the base (part 1).

### NOTE:

- · Planning is essential.
- The drawing must comply with the SANS 10111 guidelines.
- The crank (part 6) must be drawn as shown, so that the piston (part 7) will be in the highest position.
- Show THREE faces of the M16 nut (part 5) on the sectional left view.
- The compression spring (part 9) must be drawn as a conventional representation, at the given length of 20 mm.
- NO hidden detail is required.

  [93]

PARTS LIST						
	PARTS	QUANTITY	MATERIAL			
1	BASE	1	CAST IRON			
2	SHAFT	1	MILD STEEL			
3	KEY	1	KEY STEEL			
4	M16 WASHER	1	MILD STEEL			
5	M16 NUT	1	MILD STEEL			
6	CRANK	1	CAST IRON			
7	PISTON	1	MILD STEEL			
8	CYLINDER	1	CAST IRON			
9	COMPRESSION SPRING	1	SPRING STEEL			
10	TENSION SCREW	1	MILD STEEL			
11	FLY WHEEL	1	CAST IRON			
	7 WATT STREET					


STEAM PUNK

ENGINEERING CC

7 WATT STREET INDUSTRIA www.steamp.co.za © 012 345 6789

### WOBBLE ENGINE ASSEMBLY

ALL DIMENSIONS ARE IN MILLIMETRES.





FOR OFFICIAL USE ONLY	
INCORRECT ORTHOGRAPHIC PROJECTION	
INCORRECT OVERALL SCALE	
INCORRECT HATCHING	
PARTS NOT ASSEMBLED	
TOTAL PENALTIES (-)	

ASSESSMENT CRITERIA							
FRONT VIEW							
		POSSIBLE	OBTAINED	SIGN	MODERATED		
1	BASE	$5\frac{1}{2}$					
2	TENSION SCREW	1 ½					
3	FLY WHEEL	1					
4	NUT + WASHER	4 ½					
5	INDICATION OF SYMMETRY	2					
•	SUBTOTAL	14 ½					
	SEC.	TIONAL	LEFT VI	EW			
1	BASE	13 ½					
2	CYLINDER	10					
3	PISTON	5 ½					
4	TENSION SCREW	8					
5	SPRING	1 ½					
6	CRANK	5 ½					
7	SHAFT + KEY + WASHER + NUT	15 ½					
8	FLY WHEEL	7					
,	SUBTOTAL	66 ½					
		GENE	RAL				
1	CENTRE LINES	2					
2	ASSEMBLY	10					
	SUBTOTAL	12					
	TOTAL	93					
PEN	IALTIES (-)						
	GRAND	TOTAL					
	EXA	OITANIMA	N NUMBER	R			
	FVA	NAINIA TION		,	6		
EXAMINATION NUMBER 6							

